

8.1 Profielbuizen gelijkzijdig EN10.219

Afmeting in mm	Gewicht in kg p/m	Afmeting in mm	Gewicht in kg p/m
15 x 15 x 2	0,81	60 x 60 x 2	3,59
20 x 20 x 2	1,12	60 x 60 x 3	5,34
20 x 20 x 3	1,68	60 x 60 x 4	6,96
25 x 25 x 2	1,44	60 x 60 x 5	8,30
25 x 25 x 3	1,92	70 x 70 x 3	6,28
30 x 30 x 2	1,75	70 x 70 x 4	8,21
30 x 30 x 3	2,48	70 x 70 x 5	9,87
35 x 35 x 2	2,07	80 x 80 x 3	7,22
35 x 35 x 3	2,86	80 x 80 x 4	9,47
40 x 40 x 2	2,39	80 x 80 x 5	11,44
40 x 40 x 3	3,46	90 x 90 x 3	8,17
40 x 40 x 4	4,45	90 x 90 x 4	10,73
45 x 45 x 2	2,69	90 x 90 x 5	12,70
50 x 50 x 2	3,02	100 x 100 x 3	9,02
50 x 50 x 3	4,40	100 x 100 x 4	11,84
50 x 50 x 4	5,70	100 x 100 x 5	14,42
50 x 50 x 5	6,73		



Profielbuizen gelijkzijdig
Kwaliteit
S235JRG2 volgens EN 10219.

Lengte
Uit voorraad leverbaar
tot 12 meter.

8.2 Profielbuizen gelijkzijdig EN10.219


Afmeting in mm	Gewicht in kg p/m	Afmeting in mm	Gewicht in kg p/m
60 x 60 x 6	9,20	150 x 150 x 5	22,26
70 x 70 x 6	11,08	150 x 150 x 6	26,40
80 x 80 x 6	12,96	150 x 150 x 8	33,83
80 x 80 x 8	16,36	150 x 150 x 10	41,90
100 x 100 x 6	16,98	160 x 160 x 6	28,29
100 x 100 x 8	21,57	160 x 160 x 8	36,89
100 x 100 x 10	27,60	160 x 160 x 10	45,10
120 x 120 x 3	10,84	180 x 180 x 6	32,05
120 x 120 x 4	14,30	180 x 180 x 8	41,91
120 x 120 x 5	17,40	180 x 180 x 10	51,50
120 x 120 x 6	20,75	200 x 200 x 5	29,90
120 x 120 x 8	28,13	200 x 200 x 6	35,82
120 x 120 x 10	34,20	200 x 200 x 8	46,94
140 x 140 x 5	20,69	200 x 200 x 10	57,60
140 x 140 x 6	24,52	250 x 250 x 6	45,24
140 x 140 x 8	31,71	250 x 250 x 8	59,50
140 x 140 x 10	38,40	250 x 250 x 10	73,00
		300 x 300 x 8	71,80
		300 x 300 x 10	88,60



Profielbuizen gelijkzijdig

Kwaliteit
S235JRG2 volgens
EN 10219.

Lengte
Uit voorraad leverbaar
tot 12 meter.



8.3 Profielbuizen ongelijkzijdig EN10.219

Afmeting in mm	Gewicht in kg p/m	Afmeting in mm	Gewicht in kg p/m
30 x 20 x 2	1,44	90 x 50 x 3	6,16
30 x 20 x 3	1,92	90 x 50 x 4	8,02
40 x 20 x 2	1,75	90 x 50 x 5	9,52
40 x 20 x 3	2,39	100 x 30 x 3	5,84
40 x 30 x 2	2,07	100 x 40 x 2	4,26
40 x 30 x 3	2,86	100 x 40 x 3	6,28
50 x 20 x 2	2,07	100 x 40 x 4	8,21
50 x 25 x 2	2,22	100 x 50 x 3	6,75
50 x 25 x 3	3,22	100 x 50 x 4	8,84
50 x 30 x 2	2,39	100 x 50 x 5	10,32
50 x 30 x 3	3,46	100 x 60 x 3	7,22
50 x 30 x 4	4,25	100 x 60 x 4	9,47
50 x 40 x 2	2,69	100 x 60 x 5	11,10
60 x 30 x 2	2,70	100 x 80 x 3	8,17
60 x 30 x 3	3,93	100 x 80 x 4	10,73
60 x 40 x 2	3,02	100 x 80 x 5	12,84
60 x 40 x 3	4,40	120 x 60 x 3	8,17
60 x 40 x 4	5,70	120 x 60 x 4	10,73
70 x 40 x 3	4,78	120 x 60 x 5	12,84
70 x 40 x 4	6,33	120 x 80 x 4	11,98
80 x 40 x 2	3,64	120 x 80 x 5	14,42
80 x 40 x 3	5,34		
80 x 40 x 4	6,96		
80 x 40 x 5	7,96		
80 x 50 x 2	3,95		
80 x 50 x 3	5,81		
80 x 50 x 4	7,59		
80 x 50 x 5	8,75		



Profielbuizen ongelijkzijdig

Kwaliteit
 S235JRG2 volgens EN 10219.

Lengte
 Uit voorraad leverbaar tot 12 meter.



8.4 Profielbuizen ongelijkzijdig EN10.219

Afmeting in mm	Gewicht in kg p/m	Afmeting in mm	Gewicht in kg p/m
80 x 40 x 6	10,40	200 x 100 x 4	18,00
100 x 50 x 6	13,00	200 x 100 x 5	22,26
100 x 50 x 8	16,40	200 x 100 x 6	26,40
100 x 60 x 6	12,97	200 x 100 x 8	34,38
100 x 60 x 8	17,28	200 x 100 x 10	41,90
100 x 80 x 6	14,86	200 x 120 x 5	23,70
120 x 60 x 6	15,10	200 x 120 x 8	36,90
120 x 80 x 6	16,98	200 x 120 x 10	45,10
120 x 80 x 8	21,70	200 x 150 x 6	31,00
140 x 40 x 3	8,04	200 x 150 x 8	40,40
140 x 60 x 5	14,42	200 x 150 x 10	49,57
140 x 70 x 3	9,43	220 x 120 x 8	37,40
140 x 70 x 4	12,36	250 x 100 x 5	28,50
140 x 70 x 5	15,20	250 x 100 x 6	31,00
140 x 70 x 6	17,67	250 x 100 x 8	42,40
140 x 80 x 5	15,99	250 x 150 x 6	35,82
140 x 80 x 6	18,62	250 x 150 x 8	46,94
150 x 50 x 5	14,20	250 x 150 x 10	57,60
150 x 100 x 5	18,34	250 x 150 x 12	67,00
150 x 100 x 6	21,69	260 x 140 x 8	46,90
150 x 100 x 8	27,98	300 x 100 x 6	35,82
160 x 80 x 5	17,55	300 x 100 x 10	57,20
160 x 80 x 6	20,51	300 x 200 x 6	45,00
180 x 80 x 4	15,70	300 x 200 x 8	59,50
180 x 80 x 5	19,12	300 x 200 x 10	73,00
180 x 80 x 6	22,30		
180 x 100 x 5	20,70		
180 x 100 x 6	24,52		



**Profielbuizen
ongelijkzijdig**

Kwaliteit
S235JRG2 volgens
EN 10219.

Lengte
Uit voorraad leverbaar
tot 12 meter.

